Visit www.elmirastoveworks.com to

Timeless Treasures

Elmira appliances add warmth and beauty to any home. The options you select can create a look from very antique or traditional to country. With six colors and a multitude of options, trims, cooking surfaces and two sizes to choose from, each piece is carefully hand-crafted to reflect your individual needs, taste and style.

Whether you choose one piece as an accent, or the full ensemble to complete a spectacular antique kitchen; your Elmira appliances will be the focal point of your home. And, with professional state-of-the-art features, the delights you create will be as much a focus of conversation as the appliances themselves!

Match your personal style, match your cooking style. Select from a variety of functional features – gas, cast electric or smoothtop burners. Four burners or six. Electric, convection electric or gas ovens… all self-cleaning. A two cubic foot "Stay Hot" food warmer is standard on our 45" models.

1865-ST Dual Fuel

Six Burner Range shown in Black with 4 gas and 2 Smoothtop Elements and Electric Oven.

Options shown include:

- Antiquing
- Nickel Door Frames
- Nickel Front Legs
- Nickel Victorian Trivet

Visit www.elmirastoveworks.com to "Create Your Own Range."

Stunning elegance, traditional favorites. Choose the simplicity of all-black; add accents in Nickel, Brass or Copper for a more dramatic statement; or add White or Bisque panels for an exciting contrast.

1855-ST All Electric

Six Burner Range shown with Smoothtop.

Options shown include:

- Black and Bisque Finish
- Nickel Door Frames
- Nickel Front Legs
- Nickel Front Skirt
- Nickel Victorian Trivet

1865-0 Dual Fuel
1867-0 All Gas

Four Burner Range shown in Black with work surface.

Options shown include:

- Antiquing
- Nickel Front Legs

See pages 14-17, 22 for options, features & specifications.

1860 All Gas
1870 with Electric Oven

Four Burner Range shown in Black with Gas Cooktop.

Options shown include:

- Antiquing
- Nickel Door Frames
- Nickel Front Legs
- Nickel Victorian Trivet

Visit www.elmirastoveworks.com to "Create Your Own Range."

Elmira appliances feature easy-to-clean porcelain and durable powder coated finishes to keep them looking like new for years to come.

850-ST All Electric

Four Burner Range shown in Black with ST Smoothtop.

Options shown include:

- Antique Copper Victorian Trivet
- Antique Copper Trim
- Antique Copper Door Frames
- Antique Copper Front Legs
- Antique Copper Front Skirt

850-STE All Electric

Four Burner Range shown with STE Smoothtop and Convection Oven. Range top controls are hidden in the upper cabinet.

Options shown include:

- Black and White finish
- Nickel Door Frames
- Nickel Front Legs

See pages 14-17, 22 for options, features & specifications.

Pure simplicity. White doors and panels create a base for tasteful accents in Nickel, Brass or Copper. For a softer neutral, choose our Bisque color. Add a hand-painted motif for a dash of country color.

1865-5 Dual Fuel

Six Burner Range shown in Bisque with Combination Cooktop and electric oven.

Options shown include:

- Country Motif in Cobalt Blue

855-STE All Electric

Six Burner Range shown in White with STE Smoothtop and Convection Oven. Range top controls are hidden in the upper cabinet.

Options shown include:

- Country Motif in Forest Green
- Nickel Door Frames
- Nickel Front Legs

Visit www.elmirastoveworks.com to "Create Your Own Range."

1855-5 All Electric

Six Burner Range shown in White with Cast Element Top.

Options shown include:

- Nickel Front Legs
- Nickel Victorian Trivet

1860 All Gas
1870 with Electric Oven

Four Burner Range shown in White with Gas Cooktop.

Options shown include:

- Antique Brass Trim
- Antique Brass Warming Shelf
- Antique Brass Front Legs

1850-5 All Electric

Four Burner Range shown in White with Cast Element Top.

Options shown include:

- Nickel Door Frames
- Nickel Front Legs
- Nickel Victorian Trivet

See pages 14-17, 22 for options, features & specifications.

Make a bold color statement. Cayenne Pepper Red, Liberty Blue or Jewel Green create exciting accents, or complement other features in your kitchen.

850-STE All Electric

Four Burner Range shown in Jewel Green with STE Smoothtop and Convection Oven.

Options shown include:
- Antiquing
- Nickel Front Legs
- Nickel Warming Shelf

1867 All Gas
1875 with Electric Oven

Six Burner Range shown in Liberty Blue with Gas Cooktop.

Options shown include:
- Antiquing
- Nickel Door Frames
- Nickel Front Legs
- Nickel Front Skirt
- Nickel Victorian Trivet

Visit www.elmirastoveworks.com to "Create Your Own Range."

1865-5 Dual Fuel

Six Burner Range shown in Cayenne Pepper Red with Combination Cooktop.

Options shown include:

- Antiquing
- Nickel Front Legs
- Nickel Victorian Trivet

See pages 14-17, 22 for options, features & specifications.

Color Options

Pictured below are just a few of the color and trim options available. Your Elmira appliance is built to order, and is a unique reflection of your personal taste and style.

To Create Your Own Range, visit our web site at www.elmirastoveworks.com.

Black with Nickel trim, frames, legs, skirt & trivet

Black with Antique Copper trim, frames, legs & skirt

Black with Antique Brass trim, frames, legs & skirt

White with Nickel trim, no frames, plain legs & skirt

White with Antique Copper trim, frames, legs, skirt & trivet

White with Antique Brass trim, frames & legs, plain skirt

Red with Nickel trim, frames, legs, skirt & trivet

Red with Antique Brass trim & frames, plain legs & skirt

Blue with Nickel trim, frames, legs & trivet, plain skirt

Black with Nickel trim, no frames,
plain legs & skirt

Black with Antique Brass frames, legs,
skirt & trivet

Black & Bisque with Nickel trim, no frames,
plain legs & skirt

White with Nickel trim, frames, legs,
skirt & trivet

Bisque with Nickel trim, frames & legs,
plain skirt, green motif

Bisque with Nickel trim, frames, legs,
skirt & trivet

Blue with Nickel trim & trivet, no frames,
plain legs & skirt

Green with Nickel trim, frames, legs,
skirt & trivet

Green with Antique Brass trim, frames
& legs, plain skirt

Options

CONVECTION OVEN #1801

The choice of professional chefs and bakers. "True convection" – at the push of a button, the standard oven converts to convection mode. A third heating element surrounding the convection fan circulates air evenly throughout the oven. Cooking times are reduced up to 25%, and you can bake five racks* of cookies / three racks of muffins perfectly at consistent temperatures. Procedures are fully explained in the owners' manual.

*Three racks supplied – additional racks available.

WARMING SHELF #1510

Decorative 3" by 28" shelf sits between the cabinet brackets to handily store spices, timers, etc. Available in Nickel, Antique Brass and Antique Copper.

GRIDDLES

Black Diamond™ non-stick cast aluminum griddles are available to fit any Elmira front/rear combination of gas or electric ranges. These 11" by 19" griddles can also be used as thawing trays for frozen food.

DOOR FRAMES

Add a touch of elegance to your range with polished Nickel, Antique Brass or Antique Copper door frames.

ANTIQUING #1803

Decorative scrollwork around each casting is manually buffed to expose the silver metal beneath, giving ranges and wall ovens an even more antique appearance. Antiquing is particularly attractive on darker colors. Because the antiquing is silver colored, it is not recommended with Brass or Copper accents.

VICTORIAN TRIVET #1075

Cast from an authentic circa 1880 pattern, then plated and polished in Nickel, Antique Brass or Antique Copper. The trivet looks spectacular when combined with matching legs, frames or skirt and antiquing. (Antiquing is not recommended with brass or copper trims.)

COUNTRY MOTIF #1800

A local Canadian artist handpaints and signs each motif. They are then fired to ensure a durable long-lasting finish. Available in Cobalt Blue or Forest Green on White or Bisque ranges.

SHORT LEGS #1036S

Anyone shorter than 5'2" will appreciate the convenience of legs 2" shorter than standard. Available in any finish – color or metallic.

Overall height of range with short legs will be 65 7/8" high.

Minimum base cabinet opening required with short legs is 30 3/4".

LEGS #1036 and SKIRT #1053

Nickel legs and skirts nicely accent any of our ranges. Also available in Antique Brass and Antique Copper.

Nickel Leg

Antique Brass Leg

Antique Copper Leg

COLORS

All appliances are available in six enamel finishes to complement any kitchen – Black, White or Bisque at standard pricing; Black/Bisque, Black/White, Cayenne Pepper Red, Liberty Blue or Jewel Green, at a nominal premium. Decorative metal trim available in Nickel, Antique Brass and Antique Copper. (see pages 7, 9, 12, 13)

Black

White

Bisque

Cayenne Pepper Red

Liberty Blue

Jewel Green

#1518 IN-LINE EXHAUST BLOWER

Our STANDARD 350 cfm exhaust fan, included with each range, removes unwanted cooking odors to the outside or recirculates through the charcoal filter. The standard exhaust vents up to ten feet.

The OPTIONAL, 636 cfm **In-Line Exhaust Blower** removes food odors like fish, onions or smoke quickly and quietly from the kitchen up to 35 ft. from the range. This blower can be mounted in the basement or attic resulting in a powerful yet whisper quiet operation. The German manufacturer claims this to be strongest, quietest, most effective range exhaust available.

Performance Data of In-Line Blower

- Blower may be mounted vertically, horizontally or at any angle.
- Backward curved airfoil blades move the most air with the least possible sound.
- Fan and motor is precision balanced for quiet vibration-free operation.
- Ball bearing motors are permanently lubricated for maintenance-free operation.
- Blower wiring attaches to junction box on back of range.



1. Attic Exhaust Installation

If you have an attic above your kitchen and your range is on an inside wall, application #1 will work well. Exhaust blower and ducting can be mounted to, or between structural joists. Alternative Installation. The exhaust duct can extend straight up through the roof (similar to application #3.) This method will require a roof flashing and cap. (not included)



2. Basement Exhaust Installation

Exhaust duct runs down in the wall behind the range into the basement where it exits through the foundation wall. The blower and ducting can be mounted to or between structural joists in the basement.



3. Roof Exhaust Installation

Log homes and homes with cathedral ceilings usually require a top ducted exhaust. Advise your dealer if you want application #3 as factory must punch a 7" round hole in the top center of the range cabinet. It's a good idea to locate stove in kitchen before cutting hole in roof.

Exhaust ducting may be routed through kitchen cabinets above range if required.

7" Black pipe, 7" to 8" increaser and roof flashing and cap are not included.

SPECIFICATIONS:
636 CFM,
150 Watts, 110 Volts,
1.4 Amps, 60 Hz.
Blower Length: 9 1/8"
Blower Diameter: 9 1/8"
Inlet/Outlet: 8"
Warranty: Five Years

IMPORTANT: In-Line Exhaust Blower must be ordered at time of range purchase as range wiring must be modified to suit system.

In-Line Exhaust Blower Kit contains:

A. Exhaust blower with 8" inlet and outlet

B. Adapter elbow, attaches to back of range, converts range outlet to 3 1/4" x 10" (standard ducting size)

C. Duct adapter, converts 3 1/4" x 10" to 8" round

D. Back draft damper with spring return, prevents cold air from entering house when blower is not in use

E. Outside louver grill covers the exhaust outlet at soffit or foundation wall, louvers automatically close when blower is not in use

RANGE DIMENSIONS



See page 22 for exhaust outlet location and required cabinet openings.

Features

Professional Features:

- Gas burners – controlled heat from 450 – 15,000 BTU's
- Smoothtop electric – quick heat, infinite uniform temperature
- "Superburners" - 15,000 BTU gas or 2,500 Watt electric
- Six burner capability for expanded cooking capacity
- 4.3 cu. ft. ovens, plus 2.0 cu. ft. "Stay Hot" food warmer

SEALED GAS BURNERS

Pilotless sealed gas burners are rated at 8,000, 12,000 and 15,000 ("Superburner") BTU's*. Adjust simmer settings as low as 450 BTU's. Safety feature: automatic spark ensures constant heat – re-ignites, even at lowest setting. Burners light at any knob position.
**BTU ratings based on natural gas*

'ULTRA TEMP' CAST ELEMENTS

Cast elements adjust temperature slightly more slowly than smoothtops, but cooking is very uniform. These elements resemble traditional cookstove firebox "lids". Temperature limiters reduce power to the burner in the event of a pot boiling dry.

All Elmira ranges feature Self-Cleaning Ovens.

"FEATHER TOUCH" ELECTRONIC CONTROL PANEL

The tempered glass control panel is conveniently located at eye level in the upper cabinet. Touch the screen lightly to select oven mode, then touch "Start". Oven temperatures are easily controlled from 100 to 500 degrees F. (Control always indicates temperature selected.) Indicator lights on the control panel and cooking surface tell you which function is being used. The cooktop light and exhaust fan are also controlled from this panel.



SMOOTHTOP ELECTRIC BURNERS

High-speed elements under a ceramic cooktop provide virtually instant heat, uniform cooking and easy clean up. Heat is directed vertically so only the cooking zone gets hot. Infinite controls allow you to "fine tune" burners for precision cooking. Temperature limiters reduce heat to the elements in the event of a boil-dry.

ELECTRONIC SMOOTHTOP CONTROLS ON STE MODELS

Electronic burner controls are hidden at eye level in the upper cabinet, maintaining the cooktop's traditional appearance. Touch ON/OFF to turn a burner on or off. Then select the up or down arrow to adjust temperature to any of eleven settings. This feature increases your usable cooking surface by almost twenty percent!

"STAY HOT" FOOD WARMER

Need to keep a few items warm while finishing off those last few dishes in the main oven? You'll love our "Stay Hot" food warmer. Simply flip a switch and the two cubic foot warmer maintains a temperature of 200 degrees F. Great for warming plates. The warmer also doubles as a storage compartment when not in use. This is a standard feature on all 45" ranges.

Creative Cooking

Choose the burner system that best suits your cooking style and preferences – gas, electric cast elements, electric smoothtop, or combination gas / electric.
Heavy pots and clean up are no problem for Elmira ranges! Our stovetops are constructed from thick 1/8" steel, and are double-coated with durable, easy-to-clean textured porcelain.

GAS BURNERS

1860 & 1870

Available on any 30" all-gas or dual fuel range. Includes two 8,000 BTU gas burners, one 12,000 BTU and one 15,000 BTU "Superburner".

1867 & 1875

Available on any 45" all-gas or dual fuel range. Includes three 8,000 BTU gas burners, two 12,000 BTU and one 15,000 BTU "Superburner".

SMOOTHTOPS

850-STE

Controls hidden in the overhead cabinet create 20% more cooking / work space. Four burner smoothtop includes two 6" 1,500 Watt, one 8" 2,000 Watt, and one 9" 2,500 Watt "Superburner" elements. Available on 30" ranges.

855-STE

Controls hidden in the overhead cabinet provide 20% more cooking / work surface. Four burner smoothtop includes three 6" 1,500 Watt, two 8" 2,000 Watt, and one 9" 2,500 Watt "Superburner" elements. Available on 45" ranges.

COMBINATION

1865-ST

The best of gas and electric. Includes two 8,000 BTU gas burners; one 12,000 BTU and one 15,000 BTU "Super Burner"; one 1,500 Watt and one 2,000 Watt Smoothtop elements. Available on 45" ranges.

1865-5

Gas / electric convenience. Includes two 8,000 BTU gas burners, one 12,000 BTU and one 15,000 BTU "Superburner"; one 1,500 Watt and one 2,000 Watt cast "Ultra Temp" elements. Available on 45" ranges.

CAST ELECTRIC ELEMENTS

1850-5

Four cast element top includes two 6" 1,500 Watt and two 8" 2,000 Watt "Ultra Temp" elements. Available on 30" ranges.

1855-5

Six burner top includes three 6" 1,500 Watt and three 8" 2,000 Watt "Ultra Temp" elements. Available on 45" ranges.

1850-ST

Four burner smoothtop with controls on the cooking surface – includes two 6" 1,500 Watt and two 8" 2,000 Watt elements. Available on 30" ranges.

1855-ST

Six burner smoothtop, with controls on the cooking surface – includes three 6" 1,500 Watt and three 8" 2,000 Watt elements. Available on 45" ranges.

1865-0 and 1867-0

Includes two 8,000 BTU gas burners, one 12,000 BTU and one 15,000 BTU "Superburner", with a porcelain work surface on the right side for food preparation / holding.

Natural gas or propane? Ranges are built to accommodate natural gas unless propane (LP) has been specified on your order. Conversion parts are available and are easy to install. (See product manual for instructions.)

Entertaining large groups? Model 1880 wall oven is a must for people who require extra capacity. Available in six colors (optional door frames in Nickel, Antique Brass or Antique Copper), this 4.0 cu. ft. self-cleaning convection oven can be installed in a wall or center island.



Cayenne Pepper Red with Antiquing

White

Wall Oven

Overall dimensions: 28-7/8" High, 29-7/8" Wide, 23" Deep
Wall ovens may be installed two high. Shipping weight 200 lb. 220 Volts. 20 Amps.

Antique styling with state-of-the-art convenience! Model 1895 is a deluxe 2.1 cu. ft. 1,200 Watt microwave oven in keeping with the elegance of the Elmira line. Features a removable glass turntable, 10 power levels, auto-defrost and four-stage programmable sensor cooking,

Liberty Blue with Nickel Door Frames and Antiquing

Black with Nickel Door Frames and Antiquing

Microwave

Overall dimensions:
14" High
24 " Wide
20-1/2" Deep

Cabinet Cut-Out Dimensions:
14-1/4" High
24-1/4" Wide
24" Deep (Rear stop at 15-1/2")

Shipping weight 51 lb. 120 Volts. 60 Hz.

1895 microwave available in six colors, with optional Nickel, Antique Brass or Antique Copper door frames.

Complete the spectacular look of your kitchen with an elegant Elmira refrigerator – a beautiful, functional piece of kitchen furniture. Despite its century styling, Model 1897 offers outstanding convenience and capacity – 25.6 cu. ft. of side-by-side storage, Energy Star® efficiency, ice / water dispenser on the door, gallon-sized door bins, spill-proof shelves and easy-slide shelves & drawers.

Energy efficiency is a priority in the design and development of all Elmira appliances. Model 1897 is Energy Star® rated.

Match your other Elmira appliances with door frames in Nickel, Antique Brass or Antique Copper.

Note: Red, Blue and Green refrigerators have black top, sides, bottom grill and ice-water dispenser.

Bisque with Nickel Door Handles

Black with Antique Copper
Door Handles and Frames

Liberty Blue with Antique Brass
Door Handles and Frames

Cayenne Pepper Red with Nickel
Door Handles and Frames

Panel Kits for Dishwashers
Attractive dishwasher panels are available and install easily on many North American and European dishwashers. Available in Black, White, Bisque, Cayenne Pepper Red, Liberty Blue and Jewel Green, with optional door frames in Nickel, Antique Brass or Antique Copper.

1891
Black with Nickel Door Frames

Our door panels fit dishwashers with a one-piece door (no access panel) from 24-3/8" to 26" high and 23-1/8" to 23-9/16" wide.

The model 1891 was not designed to fit fully integrated dishwashers.

Trim kits to hold panels should be purchased from your local appliance retailer.

Specifications

Range & Wall Oven Features and Specifications

	Electric Ranges		Combination Ranges			All Gas Ranges		Electric Wall Oven
	1850	1855	1865	1870	1875	1860	1867	1880
Range Widths	30 ½"	44 ¼"	44 ¼"	30 ½"	44 ¼"	30 ½"	44 ¼"	29 7/8"
OVENS								
Self-Cleaning Electric Oven (4.3 cu. ft.)	•	•	•	•	•			
Oven Size: 25" W x 16" H x 18 3/4" D								
Electric Self-Cleaning Convection Oven (4.0 cu. ft.)	optional	optional	optional	optional	optional			•
Oven Size: 25 W x 16" H x 18" D	standard on STE Models							
Gas Self-Cleaning Oven with waist high Broiler (4.0 cu. ft.)						•	•	
Oven Size: 25 W x 16" H x 18" D								
"Stay Hot" Food Warmer		•	•		•		•	
Electronic Oven Control	•	•	•	•	•	•	•	•
Delayed Start Baking	•	•	•	•	•	•	•	•
Dual Element Baking	•	•	•	•	•			•
Vari. Temp. Broil	•	•	•	•	•	•	•	•
Door Activated Oven Light	•	•	•	•	•	•	•	•
Heavy Duty, Plated Oven Racks	•	•	•	•	•	•	•	•
Porcelain Enamel Broiler Pan	•	•	•	•	•	•	•	•
RANGETOPS								
Electric High–speed Radiant Elements under glass (ST)	optional	optional						
High–Speed Radiant Elements under glass with Electronic Control (STE)	optional	optional						
Gas: Sealed Surface Burners with cast grates			4	•	•	•	•	
Converts to L.P. (Propane)			•	•	•	•	•	
Ultra Temp™ Electric Cast Elements	optional	optional	optional					
Electric High Speed Radiant Elements under glass			optional					
Porcelain Enamel Work Surface (replaces two burners/elements)			optional				optional	
Electronic Spark with Re–ignition			•	•	•	•	•	
Easy Clean Porcelain Top or Top Frame	•	•	•	•	•	•	•	
Nickel Trimmed Range Top	•	•	•	•	•	•	•	
UPPER CABINET								
350 CFM Exhaust Fan standard (recirclating and outside vent)	•	•	•	•	•	•	•	
636 CFM In-line Exhaust blower optional (outside vent only)	optional	optional	optional	optional	optional	optional	optional	
Cooking Surface Light, Night Light	•	•	•	•	•	•	•	
"Feather Touch" Tempered Glass Oven Control Panel	•	•	•	•	•	•	•	
POWER RATINGS								
Power Source (208 to 250V) appliance rating	220V-35A	220V-50A	220V-30A	220V-20A	220V-20A	120V-5A	120V-6A	220V-30A
Gas Top Burners, 8,000* BTU			2	2	3	2	3	
Gas Top Burners, 12,000* BTU			1	1	2	1	2	
Superburner, 15,000* BTU			1	1	1	1	1	
* Ratings for liquid propane are approximately 10% lower								
Power Ratings NG (BTU's)			43,000	43,000	63,000	58,000	78,000	
Power Ratings LP (BTU's)			38,700	38,700	56,700	52,200	70,200	
Power ratings/oven burner NG (BTU's)						16,000	16,000	
Shipping Weight	375 lbs.	410 lbs.	420 lbs.	385 lbs.	425 lbs.	395 lbs.	435 lbs.	200 lbs.

Range Overall Dimensions:
4 Burner Model: 30 1/2" wide x 67 7/8" high x 29 1/2" deep Six Burner Model: 44 1/4" wide x 67 7/8" high x 29 1/2" deep.
Our 30" models will fit into a 30 1/8" opening without cabinet alterations. Short leg models require a minimum opening of 30 3/4", and are 65 7/8" high.

All 220V ranges come with standard four wire range cords attached. NOTE: The new electrical standard, (Jan. 98) requires that a four wire range cord be used in all new construction. Please advise if a three wire range cord is required (used only in existing construction). The electrical receptacle and gas piping should be installed approximately 4" above the floor and 15" to the right of the left edge of the cabinet opening (as you are facing the opening).

EXHAUST OUTLET LOCATION:
Height of duct opening from floor to center of opening is 62 1/4". (On short leg models that height is 60 1/4")
Width to center of duct opening on 30" models is 15 3/8". (The duct is located in the center of the range)
Width to center of duct opening on 45" models is 15 3/8" from the left side of the range.

ALL DIMENSIONS ARE FOR PLANNING PURPOSES ONLY.
Consult installation instructions before cutting cabinets, countertops or exhaust outlet.

We reserve the right to make product changes as required without notice.

Model 1897 Refrigerator Features and Specifications*

CAPACITY

Total Fridge/Freezer	25.6 cu. ft.
Total Fridge	15.9 cu. ft.
Total Freezer	9.48 cu. ft.
Total Shelf Space	23.7 sq. ft.

REFRIGERATOR / FREEZER FEATURES

- Fully adjustable spill-proof glass shelving
- Gallon-size adjustable door storage
- Sealed vegetable crisper with adjustable humidity control
- Deli bin with adjustable temperature control
- Crispers and bins made of clear durable Lexan®
- Sealed snack pan keeps re-wrapped foods fresh.
- Beverage rack
- Separate refrigerator / freezer controls
- SmartWater™ ice and water filtration system through the door
- Energy Star
- Energuide rating – 613 KwH/year
- Shipping weight – 450 lbs.

CABINET FEATURES

- Doors – injection molded fiberglass with enamel coating
- Adjustable rollers provide easy movement for cleaning
- Sculptured nickel plated door handles
- Coil free back, never-clean condenser

COLORS

Standard Colors:	Black, White, Bisque
Optional Colors:	Cayenne Pepper Red, Liberty Blue, Jewel Green, Black/White, Black/Bisque
Optional Trims:	Nickel, Antique Brass or Antique Copper Door Frames and Handles (Nickel Door Handle standard)

SAFETY & EFFICIENCY

Elmira Appliances exceed the most stringent U.S. & Canadian Safety and Efficiency Standards.

Total volume and shelf area are calculated by the Association of Home Appliance Manufacturers' standards.

Listed by Underwriters Laboratories

Ten Year Warranty on Compressor Unit:

1 year warranty on all parts and labor.
Additional 4 years covering parts and labor on sealed refrigeration unit, plus additional 5 years parts warranty "compressor only" covering 6th through 10th year.

DIMENSIONS

A	Height to top of door	69 3/4"
	Height to top of hinge	69 3/8"
B	Height to top of case	68 3/4"
C	Depth not including door	28"
D	Depth including door	34"
E	Depth including door & handle	34 1/2"
F	Depth with door open 90°	50 1/2"
G	Width of case	35 3/4"
H	Width of door	36 3/8"
	Width of door open 90° (less handle)	39 1/2"

Side clearance from wall for doors to open 90° ..... 4"
Side clearance from wall for doors to open and remove fresh food drawers ..... 19"
Cutout dimensions – 37" Wide x 70" High x 24" Deep (Minimum 28" depth is ideal)



Front View



TopView

*Specifications subject to change without notice.

Photo courtesy of Pleasure Makers - Comfort, TX. Photography by Atwood Studio - San Antonio, TX.

Elmira Stove Works

www.elmirastoveworks.com

232 Arthur St. South
Elmira, Ontario N3B 2P2
Canada

Tel: (519) 669-1281
1-800-295-8498

Fax: (519) 669-1774

A0604

Fourth Edition